

30407

Table 2.70A Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	171,838	84,731	71,499
GEOGRAPHIC DIVISION			
Northeast	32,717	16,096	13,265
New England	8,692	4,014	3,240
Middle Atlantic	24,025	12,082	10,025
Midwest	40,565	20,714	17,509
East North Central	28,254	14,447	12,368
West North Central	12,312	6,267	5,141
South	61,660	30,858	26,675
South Atlantic	32,370	16,082	13,840
East South Central	10,905	5,488	4,899
West South Central	18,385	9,288	7,935
West	36,896	17,064	14,050
Mountain	11,101	5,496	4,696
Pacific	25,794	11,567	9,354
COUNTY TYPE			
Large Metro	83,306	40,071	33,239
Small Metro	53,016	26,566	22,424
250K – 1 Mil. Pop.	38,280	19,180	16,146
<250K Pop.	14,736	7,386	6,279
Nonmetro	35,516	18,094	15,836
Urbanized	11,223	5,562	4,767
Less Urbanized	20,207	10,475	9,161
Completely Rural	4,086	2,057	1,909

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30407

Table 2.70B Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	73.1	36.0	30.4
GEOGRAPHIC DIVISION			
Northeast	72.6	35.7	29.4
New England	73.6	34.0	27.4
Middle Atlantic	72.2	36.3	30.1
Midwest	75.9	38.8	32.8
East North Central	75.5	38.6	33.1
West North Central	76.9	39.1	32.1
South	73.6	36.8	31.8
South Atlantic	74.0	36.8	31.6
East South Central	77.0	38.8	34.6
West South Central	71.1	35.9	30.7
West	69.8	32.3	26.6
Mountain	72.5	35.9	30.7
Pacific	68.7	30.8	24.9
COUNTY TYPE			
Large Metro	71.0	34.2	28.3
Small Metro	74.9	37.5	31.7
250K – 1 Mil. Pop.	74.1	37.1	31.2
<250K Pop.	77.0	38.6	32.8
Nonmetro	75.5	38.5	33.7
Urbanized	75.6	37.4	32.1
Less Urbanized	74.9	38.8	34.0
Completely Rural	78.4	39.5	36.6

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30407

Table 2.71A Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	9,113	5,839	3,767
GEOGRAPHIC DIVISION			
Northeast	1,581	1,048	665
New England	402	268	181
Middle Atlantic	1,179	780	484
Midwest	2,208	1,460	1,003
East North Central	1,480	984	669
West North Central	729	476	334
South	3,468	2,247	1,484
South Atlantic	1,805	1,195	787
East South Central	623	387	271
West South Central	1,040	666	427
West	1,856	1,083	615
Mountain	618	382	241
Pacific	1,239	701	374
COUNTY TYPE			
Large Metro	4,117	2,569	1,550
Small Metro	2,818	1,856	1,212
250K – 1 Mil. Pop.	2,089	1,378	895
<250K Pop.	729	479	317
Nonmetro	2,178	1,414	1,005
Urbanized	630	415	297
Less Urbanized	1,264	811	563
Completely Rural	285	187	145

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30407

Table 2.71B Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	36.8	23.6	15.2
GEOGRAPHIC DIVISION			
Northeast	35.4	23.5	14.9
New England	34.8	23.1	15.6
Middle Atlantic	35.7	23.6	14.6
Midwest	38.8	25.7	17.6
East North Central	37.1	24.7	16.8
West North Central	42.8	27.9	19.6
South	39.5	25.6	16.9
South Atlantic	41.1	27.2	17.9
East South Central	43.7	27.1	19.0
West South Central	35.2	22.6	14.5
West	31.8	18.6	10.6
Mountain	36.2	22.4	14.1
Pacific	30.0	17.0	9.1
COUNTY TYPE			
Large Metro	33.1	20.7	12.5
Small Metro	38.3	25.2	16.5
250K – 1 Mil. Pop.	38.2	25.2	16.4
<250K Pop.	38.5	25.3	16.7
Nonmetro	43.9	28.5	20.3
Urbanized	40.8	26.9	19.2
Less Urbanized	44.3	28.4	19.7
Completely Rural	50.8	33.4	25.8

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30407

Table 2.72A Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	23,426	17,028	14,049
GEOGRAPHIC DIVISION			
Northeast	4,200	3,147	2,586
New England	1,122	807	665
Middle Atlantic	3,078	2,339	1,921
Midwest	5,710	4,343	3,621
East North Central	3,926	2,984	2,500
West North Central	1,784	1,360	1,121
South	8,376	6,037	5,033
South Atlantic	4,039	2,902	2,424
East South Central	1,525	1,121	949
West South Central	2,811	2,013	1,659
West	5,140	3,501	2,809
Mountain	1,609	1,127	933
Pacific	3,532	2,374	1,876
COUNTY TYPE			
Large Metro	10,746	7,649	6,234
Small Metro	8,072	5,871	4,847
250K – 1 Mil. Pop.	5,697	4,121	3,406
<250K Pop.	2,375	1,751	1,440
Nonmetro	4,608	3,507	2,969
Urbanized	1,680	1,254	1,016
Less Urbanized	2,510	1,941	1,675
Completely Rural	419	312	278

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30407

Table 2.72B Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	75.5	54.9	45.3
GEOGRAPHIC DIVISION			
Northeast	76.3	57.2	47.0
New England	78.3	56.3	46.4
Middle Atlantic	75.6	57.4	47.2
Midwest	79.3	60.3	50.3
East North Central	78.9	60.0	50.2
West North Central	80.2	61.1	50.4
South	76.0	54.8	45.7
South Atlantic	74.9	53.8	45.0
East South Central	79.8	58.6	49.7
West South Central	75.6	54.1	44.6
West	70.5	48.0	38.5
Mountain	73.7	51.6	42.8
Pacific	69.1	46.4	36.7
COUNTY TYPE			
Large Metro	72.8	51.8	42.2
Small Metro	77.2	56.2	46.4
250K – 1 Mil. Pop.	76.8	55.5	45.9
<250K Pop.	78.2	57.7	47.5
Nonmetro	79.3	60.4	51.1
Urbanized	79.1	59.1	47.8
Less Urbanized	79.3	61.4	53.0
Completely Rural	80.3	59.8	53.3

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30407

Table 2.73A Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	139,299	61,864	53,683
GEOGRAPHIC DIVISION			
Northeast	26,936	11,901	10,015
New England	7,168	2,939	2,394
Middle Atlantic	19,768	8,963	7,621
Midwest	32,647	14,910	12,885
East North Central	22,848	10,479	9,200
West North Central	9,799	4,431	3,686
South	49,817	22,574	20,158
South Atlantic	26,526	11,985	10,629
East South Central	8,757	3,979	3,679
West South Central	14,534	6,609	5,849
West	29,899	12,479	10,626
Mountain	8,875	3,987	3,522
Pacific	21,024	8,492	7,104
COUNTY TYPE			
Large Metro	68,443	29,853	25,455
Small Metro	42,126	18,838	16,366
250K – 1 Mil. Pop.	30,494	13,682	11,844
<250K Pop.	11,632	5,156	4,522
Nonmetro	28,730	13,173	11,862
Urbanized	8,913	3,893	3,454
Less Urbanized	16,434	7,722	6,922
Completely Rural	3,383	1,558	1,486

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30407

Table 2.73B Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	77.7	34.5	29.9
GEOGRAPHIC DIVISION			
Northeast	76.7	33.9	28.5
New England	77.8	31.9	26.0
Middle Atlantic	76.4	34.6	29.4
Midwest	80.5	36.8	31.8
East North Central	80.3	36.8	32.3
West North Central	81.1	36.7	30.5
South	77.9	35.3	31.5
South Atlantic	78.1	35.3	31.3
East South Central	81.0	36.8	34.0
West South Central	75.8	34.5	30.5
West	75.2	31.4	26.7
Mountain	77.7	34.9	30.8
Pacific	74.2	30.0	25.1
COUNTY TYPE			
Large Metro	76.0	33.1	28.2
Small Metro	79.5	35.5	30.9
250K – 1 Mil. Pop.	78.6	35.3	30.5
<250K Pop.	81.9	36.3	31.9
Nonmetro	79.2	36.3	32.7
Urbanized	79.7	34.8	30.9
Less Urbanized	78.5	36.9	33.0
Completely Rural	81.9	37.7	36.0

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 2.74A Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	162,725	78,892	67,732
GEOGRAPHIC DIVISION			
Northeast	31,136	15,048	12,601
New England	8,290	3,746	3,059
Middle Atlantic	22,846	11,302	9,542
Midwest	38,357	19,253	16,506
East North Central	26,774	13,463	11,699
West North Central	11,583	5,790	4,807
South	58,193	28,611	25,191
South Atlantic	30,565	14,888	13,054
East South Central	10,282	5,101	4,629
West South Central	17,345	8,622	7,508
West	35,040	15,980	13,435
Mountain	10,484	5,114	4,455
Pacific	24,556	10,866	8,980
COUNTY TYPE			
Large Metro	79,189	37,502	31,688
Small Metro	50,198	24,709	21,213
250K – 1 Mil. Pop.	36,191	17,803	15,251
<250K Pop.	14,006	6,907	5,962
Nonmetro	33,339	16,681	14,831
Urbanized	10,593	5,147	4,470
Less Urbanized	18,944	9,663	8,598
Completely Rural	3,802	1,870	1,764

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30407

Table 2.74B Any Tobacco Product Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2002

Geographic Characteristic	TIME PERIOD		
	Lifetime	Past Year	Past Month
TOTAL	77.3	37.5	32.2
GEOGRAPHIC DIVISION			
Northeast	76.7	37.1	31.0
New England	77.8	35.2	28.7
Middle Atlantic	76.3	37.7	31.9
Midwest	80.4	40.3	34.6
East North Central	80.1	40.3	35.0
West North Central	80.9	40.5	33.6
South	77.6	38.1	33.6
South Atlantic	77.6	37.8	33.2
East South Central	80.8	40.1	36.4
West South Central	75.7	37.6	32.8
West	74.5	34.0	28.6
Mountain	77.0	37.6	32.7
Pacific	73.4	32.5	26.8
COUNTY TYPE			
Large Metro	75.5	35.8	30.2
Small Metro	79.1	38.9	33.4
250K – 1 Mil. Pop.	78.3	38.5	33.0
<250K Pop.	81.3	40.1	34.6
Nonmetro	79.2	39.6	35.3
Urbanized	79.6	38.7	33.6
Less Urbanized	78.6	40.1	35.7
Completely Rural	81.7	40.2	37.9

*Low precision; no estimate reported.

NOTE: Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Any Tobacco use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.